



San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT

DEC 05 2012

Gerardo C. Rios, Chief
Permits Office
Air Division
U.S. EPA - Region IX
75 Hawthorne St
San Francisco, CA 94105

**Re: Final - Authority to Construct / Certificate of Conformity (Minor Mod)
Project # 1123623**

Dear Mr. Rios:

The Air Pollution Control Officer has issued Authorities to Construct (S-7063-3-2, '-4-2, '-5-2, '-6-2, '-13-2, '-14-2, '-15-2, and '-16-2) with Certificates of Conformity to California Dairies, Inc. The project authorizes replacement of the silo daily throughput limit with a Specific Limiting Condition (SLC).

Enclosed are copies of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on November 8, 2012. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura, Permit Services Manager, at (661) 392-5500.

Sincerely,

A handwritten signature in black ink, appearing to read "David Warner".

David Warner
Director of Permit Services

Enclosures
rue

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061
www.valleyair.org

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585



San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT

DEC 05 2012

Mr. Si Dang Lee
California Dairies, Inc
2000 North Plaza Drive
Visalia, CA 93291

**Re: Final - Authority to Construct / Certificate of Conformity (Minor Mod)
Project # 1123623**

Dear Mr. Lee:

The Air Pollution Control Officer has issued Authorities to Construct (S-7063-3-2, '-4-2, '-5-2, '-6-2, '-13-2, '-14-2, '-15-2, and '-16-2) with Certificates of Conformity to California Dairies, Inc. The project authorizes replacement of the silo daily throughput limit with a Specific Limiting Condition (SLC).

Enclosed are the Authorities to Construct and invoice. The application and proposal were sent to US EPA Region IX on November 8, 2012. No comments were received following the District's preliminary decision on this project.

Prior to operating with modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura, Permit Services Manager, at (661) 392-5500.

Sincerely,



David Warner
Director of Permit Services

Enclosures
rue

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061
www.valleyair.org

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-3-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #1 SERVED BY 1,000 CFM BIN VENT FILTER:
ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-3, '-4, '-5, AND '-6


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #1, 2, 3, and 4 (S-7063-3, '-4, '-5, and '-6) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-3 through '-6. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

S-7063-3-2 : Dec 4 2012 7:59AM - EDGEHILR : Joint Inspection NOT Required

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-4-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #2 SERVED BY 1,000 CFM BIN VENT FILTER:
ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-3, '-4, '-5, AND '-6

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #1, 2, 3, and 4 (S-7063-3, '-4, '-5, and '-6) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-3 through '-6. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-5-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #3 SERVED BY 1,000 CFM BIN VENT FILTER:
ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-3, '-4, '-5, AND '-6

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #1, 2, 3, and 4 (S-7063-3, '-4, '-5, and '-6) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-3 through '-6. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

S-7063-5-2 : Dec 4 2012 7:59AM - EDGEHILR : Joint Inspection NOT Required

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-6-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #4 SERVED BY 1,000 CFM BIN VENT FILTER:
ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-3, '-4, '-5, AND '-6

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #1, 2, 3, and 4 (S-7063-3, '-4, '-5, and '-6) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-3 through '-6. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

S-7063-6-2: Dec 4 2012 7:59AM - EDGEHILR : Joint Inspection NOT Required

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-13-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER: ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-13, '-14, '-15, AND '-16

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #5, 6, 7, and 8 (S-7063-13, '-14, '-15, and '-16) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-13 through '-16. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Sayed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

S-7063-13-2 : Dec 4 2012 7:59AM - EDGEHILL : Joint Inspection NOT Required

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-14-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #6 SERVED BY BIN VENT FILTER: ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-13, '-14, '-15, AND '-16

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #5, 6, 7, and 8 (S-7063-13, '-14, '-15, and '-16) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-13 through '-16. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-15-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #7 SERVED BY BIN VENT FILTER: ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-13, '-14, '-15, AND '-16

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #5, 6, 7, and 8 (S-7063-13, '-14, '-15, and '-16) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-13 through '-16. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

S-7063-15-2 : Dec 4 2012 7:59AM - EDGEHILR : Joint Inspection NOT Required

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-7063-16-2

ISSUANCE DATE: 12/04/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC
MAILING ADDRESS: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

LOCATION: 2000 NORTH PLAZA DRIVE
VISALIA, CA 93291

EQUIPMENT DESCRIPTION:

MODIFICATION OF 37,403 GALLON POWDER MILK STORAGE SILO #8 SERVED BY BIN VENT FILTER: ADD SLC OF 1020.8 TONS/DAY POWDERED MILK TRANSFERRED TO S-7063-13, '-14, '-15, AND '-16

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Visible emissions from the bin vent filter serving the silo shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 emissions from the bin vent shall not exceed 0.0055 lb/ton. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Maximum amount of milk powder transferred to silo shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Maximum total amount of milk powder transferred to silos #5, 6, 7, and 8 (S-7063-13, '-14, '-15, and '-16) shall not exceed 1020.8 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Permittee shall maintain accurate records of combined daily amount of milk powder transferred into silos S-7063-13 through '-16. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services
S-7063-16-2 : Dec 4 2012 7:59AM - EDGEHILL : Joint Inspection NOT Required

8. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070 and Tulare County Rule 107] Federally Enforceable Through Title V Permit
9. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
10. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit